STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

AMENDED REPORT

					DIVISION O						AMENDED REPO			
APPLICATION FOR PERMIT TO DRILL									1. WELL NAME and NUMBER GMBU 0-18-9-16					
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL DEEPEN WELL									3. FIELD OR WILDCAT MONUMENT BUTTE					
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO									5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)					
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY										7. OPERATOR PHONE 435 646-4825				
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052										9. OPERATOR E-MAIL mcrozier@newfield.com				
					11. MINERAL OWNERSHIP FEDERAL INDIAN STATE FEE				0	12. SURFACE OWNERSHIP FEDERAL INDIAN STATE FEE				
13. NAME OF SURFACE OWNER (if box 12 = 'fee')								14. SURFACE OWNER PHONE (if box 12 = 'fee')						
15. ADDF	ESS OF SURF	ACE OWNER (if bo	x 12 = 'fee')							16. SURFACE OWNER	E-MAIL (if bo	c 12 = 'fo	ee')	
		OR TRIBE NAME			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS				ı	19. SLANT VERTICAL DIRECTIONAL HORIZONTAL				
(II BOX 12	2 = 'INDIAN')			Y	YES (Submit Commingling Application) NO				0					
20. LOC	ATION OF WE	LL		FOOT	AGES	GES QTR		SECTION		TOWNSHIP	RANGE	МЕ	RIDIAN	
LOCATIO	ON AT SURFAC	Œ	209	95 FNL	404 FEL	404 FEL SI		13		9.0 S	15.0 E		S	
Top of Uppermost Producing Zone 2478 FN				178 FNL	L 85 FEL S		SENE	13		9.0 S	15.0 E		S	
At Total Depth 2399 FSL				99 FSL	237 FWL	37 FWL NWS		18		9.0 S	16.0 E		S	
21. COUN		DUCHESNE				2	T LEASE LINE (Feet) 23. NUMBER OF ACRES IN DRILLING UNIT 20							
					5. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 742				-	26. PROPOSED DEPTH MD: 6340 TVD: 6245				
27. ELEV	ATION - GROU	IND LEVEL		28	28. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE				
		6076			WYB000493					437478				
String	Hole Size	Casing Size	Length	Weigl			d Cement Information ad Max Mud Wt. Cement Sacks Yield Wei					Weight		
Surf	12.25	8.625	0 - 300	24.0	0 J-55 ST8	&C	8.3			Class G	138	1.17	15.8	
Prod	7.875	5.5	0 - 6340	15.5	5 J-55 LT8	ў С	8.3	3	Premium Lite High Stre		gth 300	3.26	11.0	
										50/50 Poz	363	1.24	14.3	
					A1	ГТАСН	IMENTS							
	VERIFY T	HE FOLLOWING	G ARE ATTA	CHED) IN ACCORDAN	CE W	TH THE U	ΓAH OIL	AND (GAS CONSERVATIO	N GENERAL I	RULES		
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)						FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER								
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY					TOPOGRAPHICAL MAP									
NAME Mandie Crozier TITLE Regulatory Tech					PHONE 435 646-4825									
SIGNATURE D				DATE 11/29/2011 EI			EMA1	MAIL mcrozier@newfield.com						
API NUMBER ASSIGNED 43013510890000					APPROVAL			J.	Permit Manager					


T9S, R15E, S.L.B.&M. S89°55'W - 80.16 (G.L.O.) 589°06'01"W - 2648.80' (Meas.) S89°08'07"W - 2651.44' (Meas.) 1910 1910 Brass Brass Cap Brass Cap Сар (Meas. 2644. NÓ0°46'41"W of Hole (G.L.O.) Center of Pattern V0.01 1910 1910 Brass Cap Brass Cap *Bottom* WELL LOCATION: of Hole 0-18-9-16 ELEV. EXIST. GRADED GROUND = 6076' R1910 Brass Cap S89°56'W - 80.12 (G.L.O.) = SECTION CORNERS LOCATED 0-18-9-16 BASIS OF ELEV; Elevations are based on (Surface Location) NAD 83 an N.G.S. OPUS Correction. LOCATION: $LATITUDE = 40^{\circ} 01' 56.77''$ LAT. 40°04'09.56" LONG. 110°00'43.28"

(Tristate Aluminum Cap) Elev. 5281.57'

LONGITUDE = 110° 10' 21.01"

NEWFIELD EXPLORATION COMPANY

WELL LOCATION, 0-18-9-16, LOCATED AS SHOWN IN THE SE 1/4 NE 1/4 OF SECTION 13, T9S, R15E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.

THIS IS TO CERTIFY THATO PREPARED FROM FIELD MADE BY ME OR UND THE SAME ARE TRUE AND OF MY KNOWLEDGE 🔉

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781 - 2501

	· '	
DATE SURVEYED: 06-17-11	SURVEYED BY: S.H.	VERSION:
DATE DRAWN: 08-10-11	DRAWN BY: F.T.M.	\ /1
REVISED:	SCALE: 1" = 1000'	V I

T9S, R16E, S.L.B.&M. 1910 S89°56'E - 78.00 (G.L.O.) Brass Cap N89°05'18"E - 2646.04' (Meas.) N89°21'05"E - 2509.14' (Meas.) 1910 Brass Cap Brass Cap RLot 1 5 2640. ETop of ≥ 60 Hole TARGET BOTTOM HOLE: Lot 2 0-18-9-16 $\it E$ Center of Pattern 18 N0.03,W 1910 1910 Brass Cap Brass Cap 237 `Bottom of Hole Lot 3 NORTH 2598', 2399', Lot 4 1910 1910 Brass Cap Brass Cap 1910 Brass N89°25'26"E - 2636.77' (Meas.) N89°20'00"E - 2536.78' (Meas.) S89°55'E - 78.31 (G.L.O.) BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28"

(Tristate Aluminum Cap) Elev. 5281.57'


NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, 0-18-9-16, LOCATED AS SHOWN IN THE NW 1/4 SW 1/4 (LOT 3) OF SECTION 18, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 2685' FNL & 75' FWL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

	· /		
DATE SURVEYED: 06-17-11	SURVEYED BY: S.H.	VERSION:	
DATE DRAWN: 08-10-11	DRAWN BY: F.T.M.	\ /1	
REVISED:	SCALE: 1" = 1000'	VI	

= SECTION CORNERS LOCATED